




**NED UNIVERSITY OF ENGINEERING & TECHNOLOGY  
PROCUREMENT CELL**

Phone # 99261261- 68, (Ext. 2471 & 2501) Fax # 99261255, e-mail: [dp@neduet.edu.pk](mailto:dp@neduet.edu.pk)

**“Say No to Corruption”**



**Director Procurement**

No. DP/RGT-166258/8314/  
September 5, 2023

144

**Notice Inviting Tender**


NEDUET invites sealed bids on single stage one envelope procedure from firms having registration with Income Tax, Sales Tax and Sindh Revenue Board (whichever is applicable) to carry out following:

S#	Tender / Number	Tender Schedule – Date and Time				Tender Fee Rs
		Issue / Sale		Submission	Opening	
		From	To			
1.	Procurement of Laboratory Items for Environment and Hydraulic Laboratory for Civil Engineering Department, TIEST. Tender # PC/NED/RGT/ Lab Items/8314/2023	08.09.2023	25.09.2023	26.09.2023 10:00 A.M.	26.09.2023 10:30 A.M.	5,000/-

**Eligibility Criteria**

- The bidder must have at least 3 years of experience in the relevant field
- Details of turn-over (Including in terms of Rupees) of at least last three years that average turnover of last three years should not be less than Rs 30 million per year.
- Registration with FBR / SRB (whichever is applicable).

Tender Fee and Bid Security @ 5% of bid cost in shape of Payorder should be in favor of Director Finance. Bidding documents can be obtained and shall be submitted in the office of ADP – II as per above schedule. Bidders are requested to give their Best and Final Price as “No Negotiations” is permitted. Bidding Documents containing detailed terms and conditions are available at Websites [www.neduet.edu.pk](http://www.neduet.edu.pk) and [www.ppms.pprasinhd.gov.pk](http://www.ppms.pprasinhd.gov.pk).

  
Director Procurement  
05/09/2023

ISSUED ON: \_\_\_\_\_

ISSUED TO: \_\_\_\_\_

## PROCUREMENT CELL



## BID DOCUMENTS

**“Procurement of Laboratory Items for  
Environment and Hydraulic Laboratory  
for Civil Engineering Department, TUEST”.**

**TENDER NO. PC/NED/RGT/Lab Items/8314/2023**

## LIST OF CONTENTS

<b>PART</b>	<b>DESCRIPTION</b>
Part-I	NOTICE INVITING TENDERS
Part-II	INSTRUCTIONS TO BIDDERS
Part-III	GENERAL CONDITIONS OF CONTRACT
Part-IV	BID DATA SHEET
Part-V	SPECIAL CONDITIONS OF CONTRACT
Part-VI	SCHEDULE OF REQUIREMENT
Part-VII	SAMPLE FORMS
Part-VIII	SPECIFICATIONS AND QUANTITIES
IP	INTEGRITY PACT

**PART-II**  
**INSTRUCTION TO BIDDERS**

- i Source of Funds** Funds would be arranged from Thar Campus budget of NED University of Engineering & Technology. The eligible payment under the contract is to be made from this approved project.
- ii Eligible Bidders**
- ii.a This Invitation for Bids is open to all suppliers from eligible source as defined in the SPP Rules 2010 (Amended up to date) and its Bidding Documents except as provided hereinafter.
- ii.b Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation for Bids.
- ii.c Government-owned enterprises in the Province of Sindh may participate only if they are legally and financially autonomous, if they operate under commercial law, and if they are not a dependent Agency of the Government of Sindh.
- ii.d Bidders shall not be eligible to bid if they are under a declaration of ineligibility for corrupt and fraudulent practices issued by the any government organization.
- ii.c Each bidder shall submit only one bid either by himself, or as a partner in a joint venture. A bidder who submits or participates in more than one bid will be disqualified.
- iii Eligible Goods and Services**
- iii.a The origin of all the goods & related services to be supplied under the Contract should be mentioned.
- iii.b Origin means the place where the goods are mint, grown or produce or the place from which the related services are supplied.
- iii.c The Origin of goods and services is distinct from the nationality of bidders.
- iv Cost of Bidding**
- iv.a The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Procuring Agency named in the Bid Data Sheet, hereinafter referred to as “the Procuring Agency,” will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

## B. The Bidding Documents

- v Content of Bidding Documents**
- v.a The bidding documents include:
- (a) Instructions to Bidders (ITB)
  - (b) Bid Data Sheet
  - (c) General Conditions of Contract (GCC)
  - (d) Special Conditions of Contract (SCC)
  - (e) Schedule of Requirements
  - (f) Technical Specifications
  - (g) Bid Form and Price Schedules
  - (h) Bid Security Form
  - (i) Contract Form
  - (j) Performance Security Form
  - (k) Manufacturer's Authorization Form
- v.b The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its bid.
- vi Clarification of Bidding Documents**
- vi.a A interested Bidder requiring any clarification of the bidding documents may notify the Procuring Agency in writing. The Procuring Agency will respond in writing to any request for clarification of the bidding documents which it receives no later than three working days prior to the deadline for the submission of bids prescribed in the Bid Data Sheet. Written copies of the Procuring Agency's response (including an explanation of the query but without identifying the source of inquiry) will be sent to all interested bidders that have received the bidding documents.
- vii Amendment of Bidding Documents**
- vii.a At any time prior to the deadline for submission of bids, the Procuring Agency, for any reason, whether at its own initiative or in response to a clarification requested by a interested Bidder, may modify the bidding documents by amendment.
- vii.b All interested bidders that have received the bidding documents will be notified of the amendment in writing, and will be binding on them.
- vii.c In order to allow interested bidders reasonable time in which to take the amendment into account in preparing their bids, the Procuring Agency, at its discretion, may extend the deadline for the submission of bids.

### C. Preparation of Bids

- 1. Scope**
  - 1.1 The NED University of Engg. & Tech., Karachi intends the subject procurement through National Competitive Bidding Single Stage one Envelope Procedure as per SPPRA Rules-2010 (Amended up to date).
- 2. Language of Bid**
  - 2.1 The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring Agency shall be written in the English language.
- 3. Documents Comprising the Bid**
  - 3.1 The bid prepared by the Bidder shall comprise the following components:
    - a) Price Schedule completed in accordance with ITB Clauses 4, 5 and 6.
    - b) bid security furnished in accordance with ITB Clause-9.
- 4. Bid Prices**
  - 4.1 The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the goods it proposes to supply under the contract.
  - 4.2 The prices shall be quoted on delivery to consignee's end inclusive of all taxes, stamps, duties, levies, fees and installation and integration charges imposed till the delivery location specified in the schedule of Requirements. No separate payment shall be made of the incidental services.
  - 4.3 Prices quoted by the by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet.
  - 4.4 Prices shall be quoted in Pak Rupees unless otherwise specified in the Bid Data Sheet.
- 5. Bid Form**
  - 5.1 The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.
- 6. Bid Currencies**
  - 6.1 Prices Shall be quoted in Pak Rupees.
- 7. Bidder's Eligibility**
  - 7.1 As defined in Bid Data Sheet.

- 8. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents**
- 8.1 The documents evidence of conformity of the goods and services to the bidding documents may be in the form of literature, drawings, and Data, and shall consist of:
- (a) a detailed description of the essential technical and performance characteristics of the goods;
  - (b) the Bidder shall note that standards for workmanship, material ,and equipment, as well as references to brand names or catalogue numbers designated by the Procuring Agency in its Technical Specification are intended to be descriptive only and not restrictive :till stated otherwise in Technical Specifications or Bid Data Sheet .The Bidder may substitute alternative standards, brand names , and /or catalogue numbers in its bid , provided that demonstrates to the Procuring Agency's satisfaction that the substitutions ensure substantial equivalence to those designated in the in the Technical Specifications
- 9. Bid Security**
- 9.1 The bid security is required (in the amount specified in the bid data sheet) to protect the Procuring Agency against the risk of Bidder's conduct, which would warrant the security's forfeiture The bid security shall be denominated in the currency of the bid:
- a) at the Bidder's option, be in the form of either demand draft/call deposit or an unconditional bank guarantee from a reputable Bank:
  - b) be submitted in its original form: copies will not be accepted;
  - c) remain valid for a period of at least 14 days beyond the original validity period of bids, or at least 14 days beyond any extended period of bid validity.
- 9.2 bid security shall released to the unsuccessful bidders once the contract has been signed with the successful bidder or the validity period has expired.
- 9.3 The successful Bidder's bid security shall be discharged upon the Bidder signing the contract, and furnishing the performance security.
- 9.4 The bid security may be forfeited:
- a) if a Bidder withdraws its bid during the period of bid validity or
  - b) in the case of a successful Bidder, if the bidder fails:
    - (i) to sign the contract in accordance or
    - (ii) to furnish performance security

- 10. Period of Validity of Bids**
- 10.1 Bids shall remain valid for the period specified in the Bid Data Sheet after the date of bid opening prescribed by the Procuring Agency. A bid valid for a shorter period shall be rejected by the Procuring Agency as non responsive.
- 10.2 In exceptional circumstances, the Procuring Agency may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security shall also be suitable extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required not be required nor permitted to modify its bid.

- 11. Format and Signing of Bid**
- 11.1 The Bidder shall prepare an original bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" as appropriate. In the event of any discrepancy between them, the original shall govern.
- 11.2 The original bid shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract.
- 11.3 Any interlineations, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.

#### **D. Submission of Bids**

- 12. Sealing and Marking of Bids**
- 12.1 The Bidder shall seal the original bid in envelope, duly marking the envelope as "ORIGINAL BID". The envelope shall then be sealed in an outer envelope. The inner and outer envelopes shall be addressed to the Procuring Agency at the address given in the BDS, and carry statement **"DO NOT OPEN BEFORE \_\_\_\_\_ at \_\_\_\_\_ A.M"**
- 12.2 If the outer envelope is not sealed and marked as required, the Procuring Agency shall assume no responsibility for the bid's misplacement or premature opening.
- 13. Deadline for Submission of Bids**
- 13.1 Bids must be received by the Procuring Agency at the address specified in Bid Data Sheet, not later than the time and date specified in Bid Data Sheet.

- 13.2 The Procuring Agency may, at its discretion, extend this deadline for the submission of bids by amending the bidding documents, in such case all rights and obligations of the Procuring Agency and bidders previously subject to the deadline will thereafter be subject to the deadline.
- 14. Late Bids** 14.1 Any bid received by the Procuring Agency after the deadline for submission of bids prescribes by the Procuring Agency shall be rejected and returned unopened to the Bidder.
- 15. Modification and Withdrawal of Bids** 15.1 The Bidder may modify or withdraw its bid after the bid's submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Procuring Agency prior to the deadline prescribed for submission of bids.
- 15.2 No bid may be modified after the deadline for submission of bids.
- 15.3 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security.

#### **E. Opening and Evaluation of Bids**

- 16. Opening of Bids by the Procuring Agency** 16.1 The Procuring Agency shall open all bids in the presence of bidder's representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives who are present shall sign a register/attendance sheet evidencing their attendance.
- 16.2 The bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presences or absence of requisite bid security and such other details as the Procuring Agency, at its discretion, may consider appropriate, will be announced at the opening.
- 17. Clarification of Bids** 17.1 During evaluation of the bids, the Procuring Agency may, at its discretion, ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
- 18. Preliminary Examination** 18.1 The Procuring Agency shall examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.

- 18.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.
- 18.3 Prior to the detailed evaluation, the Procuring Agency will determine the substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Procuring Agency's determination of a bid's responsiveness is to be based on the contents of the bid itself.
- 18.4 If a bid is not substantially responsive, it will be rejected by the Procuring Agency and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
- 19. Evaluation and Comparison of Bids**
- 19.1 The Procuring Agency will evaluate and compare the bids which have been determined to be substantially responsive.
- 19.2 The Procuring Agency's evaluation of a bid will be on delivery to consignee's end inclusive of all taxes, stamps, duties, levies, fees and installation and integration charges imposed till the delivery location and shall exclude any allowance for price adjustment during the period of execution of the contract.
- 20. Contacting the procuring Agency**
- 20.1 No Bidder shall contact the procuring Agency on any matter relating to its bid, from the time of bid opening to the time the announcement of Bid Evaluation Report. If the Bidder wishes to bring additional information to the notice of the procuring Agency, it should do so in writing.
- 20.2 Any effort by a Bidder to influence the Procuring Agency in its decision on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.

### Award of contract

- |   |  |
|---|--|
| <b>21. Post – Qualification</b>   | <p>21.1 In the absence of prequalification, the procuring Agency may determine to its satisfaction whether that selected Bidder having submitted the lowest evaluation responsive bid is qualified to perform the contract satisfactorily.</p> <p>21.2 The determination will take into account the Bidder’s financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder’s qualifications submitted by the Bidder, pursuant to ITB Claus-7 as well as such other information as the Procuring Agency deems necessary and appropriate.</p> <p>21.3 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder’s bid, in which event the Procuring Agency will proceed to the next lowest evaluated bid to perform satisfactorily.</p> |
| <b>22. Award Criteria</b>   | <p>22.1 The Procuring Agency will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.</p>  |
| <b>22 a Procuring Agency’s right to vary quantities at the time of award</b>        | <p>The Procuring Agency reserves the right to increase/decrease the quantity of the required items and /or purchase part items already tendered either in full or in part. The Procuring Agency reserves the right to accept or reject any or all of the Tenders; divide business amongst more than one bidder.</p>  |
| <b>23. Procuring Agency’s Right to Accept any Bid and to Reject any or All Bids</b> | <p>23.1 Subject to relevant provisions of SPP Rules 2010 (Amended up to date)), the Procuring Agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award.</p> <p>23.2 Pursuant to Rule 45 of SPP Rules 2010 (Amended up to date)), Procuring Agency shall host the evaluation report on Authority’s web site, and intimate to all the bidders three working days prior to notify the award of contract.</p>   |
| <b>24. Notification of Award</b>  | <p>24.1 Prior to the expiration of the period of bid validity, the Procuring Agency shall notify the successful Bidder in writing, that its bid has been accepted.</p>   |

- 24.2 Upon the successful Bidder's furnishing of the performance security pursuant to ITB Clause 26, the Procuring Agency will promptly notify each unsuccessful Bidder and will discharge its bid security.
- 25. Signing of Contract**
- 25.1 At the same time as the Procuring Agency notifies the successful Bidder that its bid has been accepted, the Procuring Agency will send the Bidder the Contract Form provided in the bidding documents, incorporating all agreements between the parties.
- 25.2 Within fourteen (14) days, or any other period specified in BDS, of receipt of the Contract Form, the successful Bidder shall sign and date the contract and return it to the Procuring Agency.
- 25.3 For enhancement of quality and efficiency terms & conditions of tender can be reviewed with the mutual consent between successful bidder(s) and Procuring Agency.
- 26. Performance Security**
- 26.1 Within seven (07) days, or any other period specified in BDS, of the receipt of notification of award from the Procuring Agency, the successful Bidder shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the bidding documents, or in another form acceptable to the Procuring Agency.
- 26.2 Failure of the successful Bidder to comply with the requirement of ITB Clause 25 or ITB Clause 26.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Procuring Agency may make the award to the next lowest evaluated Bidder or call for new bids.
- 27. Corrupt or Fraudulent Practices**
- 27.1 The Government of Sindh requires that Procuring Agency's (including beneficiaries of donor agencies' loans), as well as Bidders/Suppliers/Contractors under Government-financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the SPPRA, in accordance with the SPP Act, 2009 and Rules made there under:
- (a) **“Corrupt and Fraudulent Practices”** means either one or any combination of the practices given below;
- (i) **“Coercive Practice”** means any impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party;

(ii) **“Collusive Practice”** means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring Agency to establish prices at artificial, noncompetitive levels for any wrongful gain;

(iii) **“Corrupt Practice”** means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;

(iv) **“Fraudulent Practice”** means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;

b) **“Obstructive Practice”** means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit rights provided for under the Rules.

## **Part-III**

### **General Conditions of Contract**

- 1. Definitions**
- 1.1 In this Contract, the following terms shall be interpreted as indicated:
- (a) **“The Contract”** means the agreement entered into between the Procuring Agency and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
  - (b) **“The Contract Price”** means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
  - (c) **“The Goods”** means all of the equipment, machinery, and/or other materials, which the Supplier is required to supply to the Procuring Agency under the Contract.
  - (d) **“The Services”** means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
  - (e) **“GCC”** mean the General Conditions of Contract contained in this section.
  - (f) **“SCC”** means the Special Conditions of Contract.
  - (g) **“The Procuring Agency”** means
    - (i). any department or office of Government
    - (ii). any authority, corporation, body or organization established by law or which is owned or controlled by Government;
  - (h) **“The Supplier”** means the individual or firm supplying the Goods and Services under this Contract.
  - (i) **“SPP Rules 2010”** means the Sindh Public Procurement Rules 2010 (Amended up to date)).
  - (j) **“Day”** means calendar day.

- 2. Standards** The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the concerned institution.
- 3. Patent Rights** The Supplier shall indemnify the Procuring Agency against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Islamic Republic of Pakistan.
- 4. Performance Security**
- 4.1 Within seven (07) days, or any other duration as specified in SCC, of receipt of the notification of Contract award, the successful Bidder shall furnish to the Procuring Agency the performance security in the amount specified in SCC.
- 4.2 The proceeds of the performance security shall be payable to the Procuring Agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 4.3 The performance security shall be denominated in the Pak rupees and shall be an unconditional bank guarantee, pay order, call deposit as, provided in the bidding documents or another form acceptable to the Procuring Agency;
- 4.4 The performance security will be discharged by the Procuring Agency and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in SCC.
- 5 Inspections and Tests**
- 5.1 The Procuring Agency or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Agency. The Procuring Agency shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 5.2 Should any inspected or tested Goods fail to conform to the Specifications, the Procuring Agency may reject the Goods, and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Procuring Agency.
- 5.4 The Procuring Agency's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the Manufacturer.

5.5 Nothing in GCC Clause 5 shall in any way release the Supplier from any warranty or other obligations under this Contract.

**6. Packing**

The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage.

**7. Delivery and Documents**

Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in the Schedule of Requirements. The details of shipping/ transportation and/or other documents to be furnished by the Supplier are specified in SCC.

**8. Insurance**

No need of Insurance for Local Supplies, However Supplier is responsible to deliver the goods in perfect condition to the end user.

**9. Transportation**

The Supplier is required under the Contract to transport the Goods to a specified place of destination and shall be arranged by the Supplier, and related costs shall be deemed to have been included in the Contract Price.

**10. Incidental Services**

10.1 The Supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

**11. Spare Parts**

11.1 The Supplier should provide any or all of the notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- (a) such spare parts as the Procuring Agency may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under the Contract; and

- (b) in the event of termination of production of the spare parts:
  - (i) advance notification to the Procuring Agency of the pending termination, in sufficient time to permit the Procuring Agency to procure needed requirements; and
  - (ii) following such termination, furnishing at no cost to the Procuring Agency, the blueprints, drawings, and specifications of the spare parts, if requested.

## **12. Warranty**

- 12.1 The Supplier warrants that the Goods supplied under the Contract are new, unused, of desired models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Procuring Agency's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- 12.2 This warranty / maintenance period shall remain valid for six (06) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract
- 12.3 If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, within a reasonable period, the Procuring Agency may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Agency may have against the Supplier under the Contract.

## **13. Payment**

- 13.1 The firm should submit stamp duty as per Government Rule before execution of work.
- 13.2 Within 30 days after the issuance of inspection certificate and consignee's receipt certificate as mentioned in SSC clause 6.
- 13.3 If the supply is not according to the specifications or unsatisfactory, the Contract will be rejected and cancelled at the risk and cost of Firm
- 13.4 If the firm fails to execute the contract/supply order as per condition, action will be taken against them which may be their black listing and Earnest Money. / Security Deposit will be forfeited.

13.5 In case of late delivery @ 0.1% per day will be charged on bid amount deducted from the bill, but not more than 10% of contract value.

13.6 The currency of payment is Pak. Rupees.

**14. Prices**

Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid,

**15. Contract Amendments**

No variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

**16. Delays in the Supplier's Performance**

16.1 Delivery of the Goods and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Agency in the Schedule of Requirements.

16.2 If at any time during performance of the Contract, the Supplier or its subcontractor(s) should encounter conditions obstructing timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Procuring Agency in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Procuring Agency shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.

16.3 Except as provided under GCC Clause 19 a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 17 unless an extension of time is agreed upon pursuant to GCC Clause 16.2 without the application of liquidated damages.

**17. Liquidated Damages**

Subject to GCC Clause 19, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Procuring Agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in SCC. Once the maximum is reached, the Procuring Agency may consider termination of the Contract pursuant to GCC Clause 18.

**18. Termination for Default**

18.1 The Procuring Agency, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:

- (a) if the Supplier fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring Agency pursuant to GCC Clause 16; or
- (b) If the Supplier fails to perform any other obligation(s) under the Contract.
- (c) If the Supplier, in the judgment of the Procuring Agency has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

18.2 In the event the Procuring Agency terminates the Contract in whole or in part, pursuant to GCC Clause 18.1, the Procuring Agency may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and supplier shall be liable to the Procuring Agency for any excess costs for such similar Goods or services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

**19. Force Majeure**

19.1 Notwithstanding the provisions of GCC Clauses 16, 17 and 18, the Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

19.2 For purposes of this clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Procuring Agency in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

- 19.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Procuring Agency in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Agency in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 20. Termination for Insolvency** 20.1 The Procuring Agency may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the procuring Agency.
- 21. Termination for Convenience** 21.1 The Procuring Agency, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Procuring Agency's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- 21.2 The Goods that are complete and ready for shipment within thirty (30) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring Agency at the Contract terms and prices. For the remaining Goods, the Procuring Agency may elect:
- (a) to have any portion completed and delivered at the Contract terms and prices; and / or
  - (b) To cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Services and for materials and parts previously procured by the Suppliers
- 22. Resolution of Disputes** Resolution of dispute shall be through Mechanism for Redressal of Grievances as provided in the rules or through Arbitration Act 1942.
- 23. Governing Language** The Contract shall be written in English language all correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.
- 24. Applicable Law** The Contract shall be interpreted in accordance with the SPP Rules 2010 (amended up to date).

- 25. Taxes and Duties** Supplier shall be entirely responsible for all taxes, duties (including stamp duty), license fees, etc., incurred until delivery of the contracted Goods to the Procuring Agency.
- 26. Overriding effect of Sindh Public Procurement Rules 2010 (Amended up to date)** In case of conflict or primacy of interpretation the provisions of SPP Rules 2010 (amended up to date) shall have an overriding effect notwithstanding anything to the contrary contained in these bidding documents

### **Part-IV [Bid Data Sheet]**

The following specific data for the subject procurement to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB) Part One. Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

<b>Introduction</b>	
<b>ITB 1</b>	<b>Name of Procuring Agency:</b> Office of The Assistant Director Procurement – II, NED University, Karachi. Tel # 99261261-68, (Ext: 2471), Fax: 99261255
	<b>Name of Contract.</b> Procurement of Laboratory Items for Environment and Hydraulic Laboratory for Civil Engineering Department, TUEST
<b>Bid Price and Currency</b>	
<b>ITB 4</b>	Prices quoted by the Bidder shall be <i>“fixed” and in” Pak Rupees”</i>
<b>Preparation and Submission of Bids</b>	
<b>ITB 7</b>	<p><b>Selection / Eligibility / Responsiveness criteria:</b></p> <ol style="list-style-type: none"> <li>1. Bidder should quote price only in PKR. with all corrected applicable taxes and duties.</li> <li>2. Having local presence in Karachi.</li> <li>3. Bid should be accompanied with client list.</li> <li>4. Bidder should strictly compliant with technical specification; no optional /alternative item will not be accepted without bid security. In case, without bid security of optional / alternate item, complete bid shall be rejected.</li> <li>5. The bidder must have at least 3 years of experience in the relevant field.</li> <li>6. Income Tax Certificate (NTN)</li> <li>7. GST Registration Certificate.</li> <li>8. Details of turn-over (Including in terms of Rupees) of at least last three years that Average turn-over of at least last three years should not be less than 30 million per year</li> <li>9. Affidavit on (non-judicial stamp paper) of no litigation history, non-blacklisting, never indulge in any corrupt, fraudulent and collusive practices, also undertaking that the information and documents provided with are correct. The template is available at Page 33.</li> <li>10. Bidder must not have forfeited performance security deposit with Procuring Agency (NEDUET).</li> <li>11. The words “Or Equivalent” shall not be used for items of which prices are quoted. Bidders must clearly mention brand name and specifications and using words “or equivalent” inexplicit brand name or specifications will lead to ambiguity and will ultimately result in Rejection of complete bid.</li> </ol>
<b>ITB 9</b>	<b>Amount of bid security.</b> 5% of Bid Value
<b>ITB 10</b>	<b>Bid validity period.</b> 90 days
<b>ITB 11</b>	<b>Number of copies.</b> One original - - -
<b>ITB 13</b>	<b>Deadline for bid submission.</b> As notified in NIT
<b>ITB 19.1</b>	<b>Bid Evaluation:</b> The Most Advantageous evaluated responsive bid

**Other Terms & Conditions:**

- i. In case of any unforeseen situation or government holiday resulting in closure of office on the date of opening. Bid shall be submitted / opened on next working day at the given time
- ii. Tender documents can also be obtained by post against Pay Order/Bank Draft of Rs-800/- as courier charges in addition of tender fee.
- iii. NEDUET may reject all or any bid subject to relevant provision of SPP Rules and may cancel the bidding process at any time prior to acceptance of bid or proposal as per Rule 25(1) of said rules.
- iv. Incomplete, conditional and tender without required earnest money in the specified form/format shall be rejected.
- v. Bidders are advised that before filling the bidding documents all pages of bidding documents should carefully be rechecked. If any page(s) / paper(s) of bidding documents are missing that can be downloaded from the official website of this University and SPPRA, and also can be obtained from the office of the ADP-2 in Procurement Cell, NEDUET, Karachi. Bid(s) with incomplete bidding documents will straightaway be rejected.
- vi. Bidders are required to provide their valid e-mail Ids and contact numbers (s) for effective and timely communication
- vii. Affidavit that firm has never been blacklisted.
- viii. All Bidding documents must be signed, named & stamped by authorized person of the firm/ Companies along with authorized letter.
- ix. Incomplete, conditional and tender without required bid security as specified in the bidding documents, shall be reject. Each page of bidding documents should be signed and stamped.
- x. Contract Agreement and Integrity Pact both are mandatory for successful bidder.
- xi. Prescribed Sales Tax Invoice, payment of Stamp Duty at rate specified by Government of Sindh, Valid Professional Tax Certificate and Job Completion / Inspection Certificate duly issued by Indenting Department will be required for payment. However, withholding of all government Taxes shall apply as rates specified in relevant Government Schedule.

\_\_\_\_\_  
Signature & Stamp of Tenderer

**Part-V****Special Conditions of Contract**

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

**1. Definitions (GCC Clause 1)**

GCC 1 (g)—The Procuring Agency is: Office of the Procurement Cell, NED University of Engineering & Technology, Karachi.

**2. Performance Security (GCC Clause 4)**

GCC 4—The amount of performance security, as a percentage of the Contract Price, shall be: 5%. Performance Security shall be released on recommendations of indenting Department or after completion of six months whichever is earlier.

**3. Inspections and Tests (GCC Clause 5)**

Inspection of NEDUET shall inspect the procured good and ensure that it meets the tender specifications before its acceptance

**4. Delivery and Documents (GCC Clause 7)**

GCC 10—Supplier shall supply and install the good within --- Days after signing the contract and shall submit the following.

- (i) Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- (ii) Packing List identifying the contents of Supply;
- (iii) Delivery note.
- (iv) Warranty and guarantee certificate (if required & mentioned as per Part-VIII)

**5. Warranty (GCC Clause 12)**

The equipment shall bear Standard warranty (with free parts & labor) from the date of installation / acceptance. Upon expiration of warranty, Purchaser at its option may enter into a Service Level Maintenance Agreement upon expiry of the warranty period in accordance with terms embodied in Appendix-A hereto

**6. Payment (GCC Clause 13)**

100% of the Contract Price shall be paid upon 100% delivery after issuance of Inspection Certificate from Indenting Department. Bidder is responsible to get Inspection Certificate from Indenting Department.

**7. Liquidated Damages (GCC Clause 17)**

If the Supplier fails to deliver the goods or perform the services within the time period(s) specified in the contract, the Purchaser shall, without prejudice to its other remedies under the contract deduct from the Contract Price, as liquidated damages, a sum equivalent to 0.1 percent of the Contract Price for each day of delay until actual delivery or performance, up to a maximum deduction of 10% of the Contract Price. Once the maximum is reached, the purchaser may consider termination of the contract.

**8. Resolution of Disputes (GCC Clause 22)**

In the case of a dispute between the Procuring Agency and the Supplier, the dispute shall be referred to the dispute resolution mechanism as defined in rule 31, 32 and 34 of the (SPPR 2010) Amended up to date)

**9. Applicable Law (GCC Clause 24)**

GCC 24 Contract shall be interpreted in accordance with the Sindh Public Procurement law of Sindh.

**10. JOINT VENTURE**

If the Contractor is a joint venture of two or more persons, all such persons shall be jointly and severally bound to the Employer for the fulfilment of the terms of the Contract and shall designate one of such persons to act as leader with authority to bind the joint venture. The composition or the constitution of the joint venture shall not be altered without the prior consent of the Employer. Bids submitted by a joint venture of two (2) or more firms shall comply with the following requirements:

- (a) the bid and in case of a successful bid, the Form of Contract Agreement shall be signed so as to be legally binding on all partners;
- (b) one of the joint venture partners shall be nominated as being in charge; and this authorization shall be evidenced by submitting a power of attorney signed by legally authorized signatories of all the joint venture partners;
- (c) the partner-in-charge shall always be duly authorized to deal with the Employer regarding all matters related with and/or incidental to the execution of Works as per the terms and Conditions of Contract and in this regard to incur any and all liabilities, receive instructions, give binding undertakings and receive payments on behalf of the joint venture;
- (d) all partners of the joint venture shall at all times and under all circumstances be liable jointly and severally for the execution of the Contract in accordance with the Contract terms and a statement to this effect shall be included in the authorization mentioned under Sub-Para(b) above as well as in the Form of Bid and in the Form of Contract Agreement (in case of a successful bid); and
- (e) a copy of the agreement entered into by the joint venture partners shall be submitted with the bid stating the conditions under which it will function, its period of duration, the persons authorized to represent and obligate it and which persons will be directly responsible for due performance of the Contract and can give valid receipts on behalf of the joint venture, the proportionate participation of the several firms forming the joint venture, and any other information necessary to permit a full appraisal of its functioning. No amendments / modifications whatsoever in the joint venture agreement shall be agreed to between the joint venture partner without prior written consent of the Employer.
- (f) The bid Security or Performance Security of any Partner of Joint Venture, should not be forfeited by Procuring Agency (NED UET) in last five years.
- (g) The security for a bid submitted by a joint venture should be in the name of the joint venture, as specified vide Clause 6.4 of Guidelines / Regulations for Procurement of Works, by SPPRA.

**11. Other:**

The bidder is advised to obtain for himself at his own cost and responsibility all information that may be necessary for preparing the bid and entering into a Contract.

No bidder shall contact Engineer/Procuring Agency on any matter relating to its Bid from the time of the Bid opening to the time the bid evaluation result is announced by the Procuring Agency. The evaluation result shall be announced at least three (03) working days prior to award of Contract (SPP Rule 45).

The Contractor shall comply with the Laws of Islamic Republic of Pakistan and shall give all notices and pay all fees and other charges in respect of the Works.

**Part-VI**  
**SCHEDULE OF REQUIREMENTS**

The delivery schedule hereafter expressed the date of delivery required.

S. No	Items/Quantity	Delivery time after issuance of Award of Work.	Location of Supply
1.	[As specified in Part – VIII of this bidding documents at P-34 to 52].	Preferably within 30 Days	at Department of Civil Engineering, TIEST Tharparkar NEDUET.

**Note:**        **specifications of above items are attached**

**PART-VII**  
**SAMPLE FORMS**

**Form-I**

**Letter of Acceptance**

Date: \_\_\_\_\_

To:

---

NED University of Engineering & Technology,  
Karachi,

Dear Sir:

Having examined the bidding documents, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver the required item in conformity with the said bidding documents for the sum of *[total bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we will obtain the guarantee of a bank in a sum equivalent to Five (5) percent of the Contract Price/Pay order for the due performance of the Contract, in the form prescribed by the Purchaser.

We agree to abide by this Bid for a period of 90 days from the date fixed for Bid opening under Clause 10 of the Instructions to Bidders, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

We understand that you are not bound to accept the lowest or any bid you may receive.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 2023 \_\_\_\_\_.

\_\_\_\_\_  
*[signature]*

\_\_\_\_\_  
*[in the capacity of]*

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

**Form-II****Price Schedule in Pak. Rupees**

Name of Bidder \_\_\_\_\_, IFB Number \_\_\_\_\_, Page of \_\_\_\_\_

1	2	3	4	5		6	7
Item	Description	Country of origin	Quantity	Unit price		Total	Remarks (if any)
				Words	Figure		

Total Bid amount in words: \_\_\_\_\_

Total Bid amount in figure: \_\_\_\_\_

Signature of Bidder \_\_\_\_\_

*Note:*

- (i) In case of discrepancy between unit price and total, the unit price shall prevail.
- (ii) The unit and total prices Delivered at Civil Engineering Department, TIEST, NED UET., should include the price of incidental services. No separate payment shall be made for the incidental services.



**Form-IV****Contract Form**

THIS AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_ 2023\_\_\_\_\_ between *NED University of Engineering & Technology, Karachi*. (Hereinafter called “the Procuring Agency”) of the one part and *[name of Supplier]* of *[city and country of Supplier]* (hereinafter called “the Supplier”) of the other part:

WHEREAS the Procuring Agency invited bids for certain goods and ancillary services, viz., Procurement of \_\_\_\_\_ for \_\_\_\_\_, NEDUET, Karachi. Has accepted a bid by the Supplier for the supply of those goods and services in the sum of *[contract price in words and figures]* (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - (a) the Bid Form and the Price Schedule submitted by the Bidder;
  - (b) the Schedule of Requirements;  
the Technical Specifications.
  - (d) the General Conditions of Contract;  
the Special Conditions of Contract; and
  - (f) the Procuring Agency’s Notification of Award.
3. In consideration of the payments to be made by the Procuring Agency to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Procuring Agency to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Procuring Agency hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the Procuring Agency)

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the Supplier)

**Form-V****Performance Security Form**

To:

---

**NED University of Engineering & Technology,  
Karachi.**

WHEREAS *[name of Supplier]* (hereinafter called “the Supplier”) has undertaken, in pursuance of Contract No. *[reference number of the contract]* dated \_\_\_\_\_ 2023\_\_\_\_\_ to supply *[description of goods and services]* (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the Supplier shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Supplier’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Supplier a guarantee:

THEREFORE, WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Supplier, up to a total of *[amount of the guarantee in words and figures]*, and we undertake to pay you, upon your first written demand declaring the Supplier to be in default under the Contract and without cavil or argument, any sum or sums within the limits of *[amount of guarantee]* as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the \_\_\_\_\_ day of \_\_\_\_\_ 2023\_\_\_\_\_.

Signature and seal of the Guarantors

---

*[name of bank or financial institution]*

---

*[address]*

---

*[date]*

**Form-VI****Manufacturer's Authorization Form**

To:

---

**NED University of Engineering & Technology,  
Karachi.**

WHEREAS *[name of the Manufacturer]* who are established and reputable manufacturers of *[name and/or description of the goods]* having factories at *[address of factory]*

do hereby authorize *[name and address of Agent]* to submit a bid, and subsequently sign the Contract with you against NIT No. *[reference of the Invitation to Bid]* for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per Clause 12 of the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Bids.

---

*[signature for and on behalf of Manufacturer]*

*Note:* This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent and having the power of attorney to bind the Manufacturer. It should be included by the Bidder in its bid.

**A F F I T D A V I T**

I. \_\_\_\_\_ S/O \_\_\_\_\_ Muslim, adult Holding CNIC

No. \_\_\_\_\_ Resident of \_\_\_\_\_.

\_\_\_\_\_, do hereby declare on oath and solemnly as under: -

1. That I am the deponent of this affidavit and fully conversant with the facts mentioned herein.
2. That I am the Owner/Partner/Director of \_\_\_\_\_ situated at \_\_\_\_\_, Karachi.
3. That I hereby further declare on oath that my firm never remains black listed with any government authorities/office or in private sector or with any entity.
4. That my firm is not involve in any dispute, litigation or Arbitration with any person, with any department of Federal/ Provincial or City Government, Agencies, or Organization, in any court of Law. Further, I and my firm are never indulged in any corrupt, fraudulent and collusive practices
5. That our firm is Technically & Financially strong & capable to do the tendered work.



That whatever stated above is true and correct of the best of my knowledge and belief.





Karachi – Dated \_\_\_\_\_




\_\_\_\_\_  
**DEPONENT**





**PART-VIII**  
**NED UNIVERSITY OF ENGINEERING AND TECHNOLOGY**  
**CIVIL ENGINEERING, TIEST**  
**SPECIFICATIONS AND QUANTITIES**


**Tender No. PC/NED/RGT/Lab Items/8314/2023**


S#	Equipment Name	Pictorial view	Specifications	Unit	Qty	Total Amount
1	Vacuum Desiccator pyrex		<p>With 3 Way Valve choice with Sizes of 210 mm,240 mm, 300 mm            5.8Litre            vacuum desiccators            24/29 ground socket to accept a vacuum stopcock.            Designed for use under vacuum            Sturdy construction in borosilicate glass            Ground glass flanges            Cover has a 24/29 socket to accept desiccator stopcocks            The appropriate size perforated metal plates and ROTAFLO stopcock</p>	No.	1	
2	Laboratory Vacuum pump		<ul style="list-style-type: none"> <li>• Typical Product Cake Volume (process-dependant)</li> <li>• 0.03 – 0.10L Vessel Volume 0.3L</li> <li>• Filtration Area 0.002m<sup>2</sup>            Frame Dimensions (H x W x D)            980 x 530 x 330 mm</li> </ul> <p>Oil-less diaphragm vacuum pump for use the glass, polycarbonate and steel vacuum desiccators. This oil-less pump has an 1/8 hp ball bearing type motor with internal thermal protector, two gauges and 3/8" hose nipples. The pump can also be Used as a compressor.</p> <ul style="list-style-type: none"> <li>• 220 volt operated</li> </ul>	No.	1	


3	Precision pipette		<ul style="list-style-type: none"> <li>• Volume Range (<math>\mu</math>l) 0.5-10</li> <li>• Increments (<math>\mu</math>l) 0.1</li> <li>• Test Vol. (<math>\mu</math>l) 1</li> <li>• % Inaccuracy (<math>\pm</math>) 2.5</li> <li>• % Imprecision 1.5</li> </ul>	Nos	2	
4	BOD incubator with Microprocessor Control System P.I.D. Temperature Control LED Display of Set point and Chamber Temperature High and Low Limit Thermostats Interior Electrical Outlet Fan Assisted/Forced Air Circulation Hermetically Sealed Compressor		<ul style="list-style-type: none"> <li>• Capacity 20.3 Cu. Ft. (574L)</li> <li>• Int. Dimensions WxDxH in. (cm) 27 x 23 x 56.5 (68.5 x 58.4 x 143.5)</li> <li>• Ext. Dimensions WxDxH in. (cm) 34.5 x 34.5 x 77.5 (87.7 x 87.7 x 196.9)</li> <li>• Weight 246 lbs</li> <li>• Temperature Range 0°C to 45°C at 20°C</li> <li>• Temperature Uniformity <math>\pm</math>0.5°C at 20°C</li> <li>• Electrical Specifications 120V; 1300 Watts; Amps</li> <li>• Shelving 4 Supplied</li> </ul>	No.	1	
5	Incubator Bottle 100 mL for BOD Testing		<ul style="list-style-type: none"> <li>• 100 ml</li> </ul>	Nos.	3	
6	Aspirator		<ul style="list-style-type: none"> <li>• Max. Aspiration: 14ml / sec.</li> <li>• Max. Flow: 15L / min.</li> <li>• Vacuum Range: -30 to -750mbar</li> <li>• Noise Level: 59.6 db</li> <li>• Vacuum Pump: oil free piston</li> <li>• Dimensions: 9.5 x 7.9 x 13.5in</li> <li>• Weight: 4.8 lbs / 2.2 kg</li> </ul>	No.	1	





			<ul style="list-style-type: none"> <li>Electrical: 115V, 60 Hz</li> </ul>			
7	Aeration Device		<ul style="list-style-type: none"> <li>Automation Grade: Automatic</li> <li>Usage/application Waste Water, Pond Aeration</li> <li>Bubble Diameter 3 mm</li> <li>Power Consumption Upto 50kw</li> </ul>	No.	1	
8	Vessels/ culture tubes with stand		<ul style="list-style-type: none"> <li>5 mm x 150 mm Round-Bottom</li> <li>Polycarbonate</li> </ul>	No.	1 pack of 100 pieces	
9	COD Reactor Oven		<ul style="list-style-type: none"> <li>Display Mode 4-digit LED of set temperature, set time, process temperature, residual time display</li> <li>Temperature Range in °C Fixed 150°C (COD program) 60°C ~200°C , adjustable.</li> <li>Temperature Accuracy in °C <math>\pm 2^\circ\text{C}</math> (at 150°C )</li> <li>Standard Block Capacity 25 x 16 mm</li> <li>Timer (min) 1~1999 minutes with audible alarm and automatic shutoff or continuous operation</li> <li>Safety Hot top indicator (flashing when block temperature is over 70°C ), Automatic shutoff when block temperature is over 240°C</li> </ul>	No.	1	




10	Imhoff tank		<ul style="list-style-type: none"> <li>• <b>SEDIMENTATION:</b> sedimentation area for incoming solids</li> <li>• <b>DIGESTION:</b> area in which the digestion takes place and the treated effluent flows out</li> <li>• <b>SLUDGE:</b> area in which the biological sludge responsible for treatment of the effluent is formed</li> </ul>	No.	1	
11	Imhoff cone		<ul style="list-style-type: none"> <li>• Capacity 1000ml</li> </ul>	Nos.	3	
12	MG 140 Gas Monitor		<p>Alarm 90 dB (audible/visual)  Weight (lbs) 1.5  Height (in) 4 3/4  Width (in) 2 3/4  Depth (in) 1 13/64  Description Four-Gas Monitor Confined-Space Kit (O<sub>2</sub>, combustibles, CO, H<sub>2</sub>S)</p>	No.	1	
13	Sensor CO, CH <sub>4</sub> , H <sub>2</sub> S and O <sub>2</sub>		<p>Measuring range  CH<sub>4</sub>: (0.00—5.00)% Vol  LEL: (0 ~ 100)%LEL  O<sub>2</sub>: (0~30.0)% vol, (0~100)% vol  H<sub>2</sub>S: (0 ~ 100)ppm  CO: (0~1000) ppm  Resolution ratio CH<sub>4</sub>: 0.01% vol,  LEL: 1%LEL,  O<sub>2</sub>: 0.1% vol  H<sub>2</sub>S: 1ppm,  CO: 1ppm  Sensor  Electrochemical and catalytic sensors  Sensor lifetime ≥2year( CO, O<sub>2</sub>, H<sub>2</sub>S )  ≥1year( LEL, CH<sub>4</sub> )  Response time CH<sub>4</sub>: ≤20S ( T<sub>90</sub> ),  LEL: ≤20S ( T<sub>90</sub> )  O<sub>2</sub>: ≤35s(T<sub>90</sub>),  H<sub>2</sub>S: ≤45S ( T<sub>90</sub> )  CO: ≤45s (T<sub>90</sub>)</p>	No.	1	


			<p>Alarms Audible–buzzer with <math>\geq 80</math>dB audible Visible–flashing red LED, <math>\geq 20</math>m visible Alarm point Fully adjustable Data logging (optional) Continuous data logging (7 days at configurable 0.1-10 minutes intervals)</p> <p>Continuous working time <math>\geq 13</math>hours Display Liquid Crystal Display(LCD) Battery model PL123450, 3.7V/1500mA Charging time 4-5 hours Dust and water resistance IP65 Size &amp; Weight 5.12in x 2.60in x 1.18in (130*66*30mm), 1.10lbs (500g)</p>			
14	Gas Analyzer		<p>Battery powered and self-contained infrared gas analyzer Small, lightweight, and rugged with easy to read LED display Instant On – fast warm-up and fast gas readings. Fuel selection: Allows HC to be measured and displayed as Hexane for Gasoline, Propane for LPG, and Methane for CNG. Real time Lambda/air fuel ratio display using HC (Fuel dependent values are used), CO, CO<sub>2</sub> and O<sub>2</sub> gas measurements. Real-time Combustion Efficiency display using HC (fuel dependent values are used), CO, CO<sub>2</sub>, and O<sub>2</sub> gas measurements. Single Button Zero calibration. Automatic back flushing empties the water trap/separator. Gas calibration automatically adjusts for use of propane. No PEF number calculations are</p>	No.	1	



			<p>required. Includes complete sampling system. Operator accessible and maintainable filters. PC compatible RS 232 PC interface and supporting software. Serial Printer (Optional) support for hardcopy gas data. All 4 Gases in a 5 Lb Battery Powered Gas Analyzer! Full-featured portable 4 gas analyzer that you can hold in your hand. Identical to larger machines, uses 30-year time proven NDIR and chemical sensor technologies for reliable, accurate 4 gas measurement. Measures CO, CO<sub>2</sub>, O<sub>2</sub>, and HC making it a 4 gas analyzer. Self-powered on its own internal battery pack – 2 ½ hours roaming capability. In production for over 10-years – time proven in hundreds of applications. Fast – data available in 30 seconds – updates 4 times per second. Real time tuning calculations – Lambda/AFR and Combustion Efficiency. 4 Gases include O<sub>2</sub> and CO<sub>2</sub> – allows detection and correction of air dilution for better tuning.</p>			
15	High volume air sampler for sampling PM-10 particles		<p>Flow Rate 40 cfm (1.13 m<sup>3</sup>/min) Particulate Size: PM10 (TE-6001) EPA Designation: RFPS-0202-141 Flow Controller: Mass Flow Controller (TE-300-310) Motor Style: Brush (TE-5005) Pressure Recorder: Dickson Chart Recorder, 24 hour (TE-5009) Timer: 7 Day</p>	No.	1	




			<p>Mechanical (TE-5007)  Elapsed Time Indicator:  Mechanical, Hours and  Tenths (TE-5012)  Flow Range: 36-  44CFM, 1.02M3M-  1.24M3M  Housing: Anodized  Aluminum  Filter Holder: Stainless  Steel, 8" x 10" (TE-6003</p>			
16	Digital Sound meter Model 840029		<p>Dimensions: 8<math>\frac{1}{8}</math> x  3<math>\frac{1}{8}</math> x 1<math>\frac{3}{8}</math>"  Weight: 10 oz  Display: <math>\frac{3}{4}</math>" LCD, 3<math>\frac{1}{2}</math>  digits  Range: "A" weighting  - 30 to 130dB  "C" weighting - 35 to  130dB  Resolution: 0.1dB  Accuracy: <math>\pm 1.5</math>dB  Frequency: 31.5 to  8,000Hz  Microphone Size: 1/2"  condenser microphone  Output Terminal: 3.5 <math>\emptyset</math>  phone output terminal  Frequency Weightings:  A and C  Response: Fast - readout  is maximum value at 0.2  seconds  Slow - readout is  maximum value at 1.5  seconds  Calibration: Internal  oscillation system,  1KHz square wave  generator  Output Signal: AC -  0.5 Vrms per range step  DC - 0.3 to 1.3VDC,  10mV per dB  Output impedance is  600ohm  Operating Temperature:  32 to 122F  Operating Humidity:  Max 90% RH  Power Supply: One  9V battery  Power Consumption:  Approx. DC 6mA</p>	No.	1	



17	Filter Holder pyrex		<p>Dimensions Filter Diameter ø 47 mm / 50 mm Filtration Area 12.5 cm<sup>2</sup> Materials of Construction Materials of Construction Glass with glass frit filter support Product Information Filter Holder Type Glass Vacuum Filter Holders Pack Size 1 Usage Protocols Sterilization Procedures By autoclaving (max. 134 °C) By dry heat (max. 180 °C) By flaming By other methods acc. to ISO 8199</p>	Nos.	4	
18	Fermentation Tube pyrex		<p>Vertical tube is graduated up to 5 mL in 0.1 mL divisions-so gas volume can be precisely quantified.</p>	Nos	4	
19	Microscope		<p>Light Source Type LED Material Glass Color White Real Angle of View 45 Degrees Magnification Maximum 1000 x Voltage 110 Volts</p>	No.	1	
20	Drying Shrinkage Molds		50 x 50 x 200 (mm)	Nos.	3	


21	Falling Head Permeability Test Apparatus		<p>This test is recommended for soils with co-efficient permeability in the range of 0-10<sup>-3</sup> to 10<sup>-7</sup> cm/sec. The maximum particle size of the soil which can be tested in the mould is 10mm. The equipment comprises one each: Gun metal mould, 100mm I.D. x 127.3mm high x 1000ml Volume. Gun metal mould extension collar, 100mm dia x 60mm high for the above mould. Gun metal drainage base plate with a recess for a porous stone.</p>	No.	1	
22	Standard Penetration Test		<p>Sampling Rod, Steel pipe, 20 pcs          Drive eight, Assembly hammer Drop Hammer, 65 kg (140 lbs.), 1 pc.          Anvil, Machined steel, 1 pc          Guide Rod, 1 pc          Tripod Assembly Steel pipe Tripod Stand Steel Pipe 1 set Pulley, 1 pc          Rope. Adaptor, Machined Steel, 1 pc          Pipe Wrench, 2 pcs</p>	No.	1	
23	Pelton Turbine		<p>Speed range: 0 - 2000 rpm.          Power: 10 W.          Manometer range: 0 – 2.5 bar.          Number of buckets: 16.          Drum radius: 30 mm.          Dynamometers range: 0 – 20 N.          Easy and quick coupling system built-in.          Anodized aluminum structure.          Tachometer.          Transparent front cover for better visualization          variable controlled nozzle.          Input pressure gauge.          Braking with the help of belt.</p>	No.	1	


24	Steel Bar Cutter		<p>FLAT STEEL: 32*32MM BLADETYPE: MOON&amp;SQUARE SHAPE MOTOR POWER: 3KW-2P CUTTING SPEED: 48T/MIN WEIGHT: 400KG GEAR BOX OIL: 7L MACHINE SIZE: 1280*460*700mm CONTINUOUS CUTTING TIMES: 32n/min Blade Size: 83*83*26 mm Cutting Capacity: 6-36 mm (intensity<math>\leq</math>450N/mm<sup>2</sup>) Motorised bending assembly capable to bend hook of 45 degree and 90 degree with length measuring gauge.</p>	No.	1	
25	Curing tanks, heavy plastic		<p>650 liters' capacity Inside dimensions: 1040x1040x605 mm Weight: 60 kg approx. Temperature 10 Deg C or 100 Deg C</p>	No.	1	
26	Cleveland flash tester 81- B0130/C With all Accessories		<p>Used for determining the flash and fire point of petroleum products. It consists of a brass cup mounted on an electric heater with temperature controller. Conforming with the CE European directive, • ASTM D92 • AASHTO T48 • EN ISO 2592 is supplied complete with double line-fuse Hot plate control system Thermometer -6 +400°C. Power: 600 W Weight approx.: 5 kg Protection grid included for safety</p>	Nos.	2	


27	Skid Resistance Tester 48-PV0190/ASTM		Used for the measurement of surface friction properties, the apparatus is suitable for both side and laboratory applications and for Polished Stone Value (PSV) using curved specimens from accelerated polishing test with the accelerated polishing machine conforming to ASTM E303 & AASHTO T 278-87 standards.	Nos.	2	
28	Lysimeter		Anodized aluminum frame and panels made of painted steel. The unit includes wheels to facilitate its mobility. Main metallic elements made of stainless steel. Diagram in the front panel with distribution of the elements similar to the real one. Two squared base recipients and two inner discs to support soil filled containers and plants. Two hydraulic sensing devices located in the squared base recipients, connected to the graduated water columns. Two graduated water columns (graduated manometric tubes), mounted on the front panel, above the lysimeters. Two 300 mm approx. diameter containers. Each container can then in turn be placed on a hydraulically mounted plate which is used to monitor system weight changes arising for evapotranspiration. Set of calibration weights (two of 2.5 Kg, one of 0.5 Kg, two of 200 g and two of 100 g). Dimensions: 800 x 600 x 1100 mm approx. (31.49 x 23.62 x 43.30 inches approx.). Weight: 40 Kg approx. (88 pounds approx.).	No.	1	




<p>29</p>	<p>Autogenous Shrinkage/ Auto-Shrink system component/mould as per ASTM C1698</p>		<p>Auto-Shrink digital dilatometer is composed of the following basic elements:                  A corrugated plastic mold with tight-fitting plugs to prepare a slender test specimen                  A rigid frame to support the specimen                  A digital dial gauge with remote control to measure change in specimen length                  A reference bar</p>	<p>No.</p>	<p>1</p>	
<p>30</p>	<p>Heavy duty pocket penetrometer</p>		<p>It has following specifications:                  Stainless steel construction.                  Tip Diameters: 4.5 mm dia. for very hard soil, 6.35 mm for medium and soft soil, 8.98 mm for soft soil.                  Measuring range: 0 to 1000 kPa                  Dimensions (assembled): 210 mm length x 20 mm dia. approx.                  Weight approx.: 0.5 kg</p>	<p>Nos.</p>	<p>2</p>	
<p>31</p>	<p>Rain Gauge</p>	 <p>Drawing View manufacturing by R.K. Engineering Corporation India</p>	<p>The standard instrument for the measurement of rainfall is the 203mm (8 inch) rain gauge. This is essentially a circular funnel with a diameter of 203mm which collects the rain into a graduated and calibrated cylinder. The measuring cylinder can record up to 25mm of precipitation. Any excess precipitation is captured in the outer metal cylinder. The top of the rain gauge is 0.3m above the ground.</p>	<p>No.</p>	<p>1</p>	



32	3-point / 4-point Bend Fixtures		<p>Fixtures must meet ASTM C393, C1161, D790 standard requirement.</p> <p>Designed for 3-point and 4-point bend testing</p> <p>Accommodate a broad sample size range</p> <p>Rugged design</p> <p>Dual graduated rulers - in and mm</p> <p>Recommended for use with a motorized test stand. May be used with eye end adapters or mounted to test stands with mounting screws (except anvil - eye end mounting only).</p>	Nos.	3	
33	Series/Parallel Pumps		<p>Bench-top unit.</p> <p>Anodized aluminum frame and panels made of painted steel.</p> <p>Main metallic elements made of stainless steel.</p> <p>Diagram in the front panel with distribution of the elements similar to the real one.</p> <p>Two centrifugal pumps: Maximum flow: 120 l/min. Maximum height (approx.): 25 mwc (meter of water column). A three-phase motor activates a pump, 0.37 kW with continuous adjustment with inverter of frequency/ voltage; and other single-phase motor activates the other pump. Three valves that allow for connecting the pumps separately, in series or in parallel depending on their appropriate position.</p> <p>Two flow regulating valves. Water tank, capacity: 60 l.</p> <p>Torque measurement and speed measurement.</p> <p>Discharge pressure manometer; range: 0 – 2.5 bar. Discharge pressure manometer; range: 0 – 6 bar.</p> <p>Admission pressure manometer; range: -1 – 1 bar. Flow meter; range: 0 – 150 l/min.</p> <p>Electronic console:</p>	No.	1	

			<p>Metallic box. Pumps switches. Speed controller. Speed measurement digital display. Torque measurement digital display. Cables and Accessories, for normal operation. Manuals: This unit is supplied with the following manuals: Required Services, Assembly and Installation, Starting-up, Safety, Maintenance &amp; Practices Manuals</p>			
34	Water Permeability of Concrete		<p>Apparatus for testing hardened concrete permeability to water under pressure according EN 12390-8. Model for 6 specimens complete with waterpressure gauge and graduated burettes measuring quantity of permeated water. Overall dimensions (wxdxh): 1155x905x1864 mm Weight=189 kg As per EN 12390-8 Laboratory air compressor. 8 BAR max constant pressure. 230V/50Hz/1Ph Set of 3 gaskets for permeability test on 150 mm side/dia samples, for 55-C0246/x series Accessory for permeability meter series 55-C0246/x for adapting one of the test chambers to test cylinder dia.100x200mm.</p>	No.	1	

35	Carbonation Chamber with Co2 Cylinder		<p>Double-wall construction</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Interior fabricated from high-grade stainless steel.</li> <li><input type="checkbox"/> Exterior body made of Mild and duly powder coated steel material.</li> <li><input type="checkbox"/> User-friendly designed chamber door and locking mechanism</li> <li><input type="checkbox"/> Incorporated with a Digital controller and quality Imported Temp, RH &amp; CO2 Sensors</li> <li><input type="checkbox"/> Uniformity is sustained by a quiet running blower.</li> <li><input type="checkbox"/> The humidity created by the steam injection method</li> <li><input type="checkbox"/> CO2 Indicator with imported CO2 Sensor</li> <li><input type="checkbox"/> Aesthetic outer look and electrical wiring as per CE Compliances</li> <li><input type="checkbox"/> Removable perforated trays to provide enhanced air circulation through samples</li> <li><input type="checkbox"/> High-temperature safety cut off</li> <li><input type="checkbox"/> Electrical overload cut off</li> <li><input type="checkbox"/> Low water level boiler cut off</li> <li><input type="checkbox"/> Electrical circuit breaker</li> <li><input type="checkbox"/> Time delay for compressor switch ON</li> </ul>	No.	1	
----	---------------------------------------	---	---	-----	---	--

36	Sediment Transport Demonstration		<p>Anodized aluminum structure and supports in painted steel. Main metallic elements made of stainless steel. Transparent, inclinable flow channel through which water can be recirculated by a pump over a mobile bed to demonstrate the whole range of bed forms from incipient particle movement to bed wash out. Channel of rectangular section with transparent walls. Channel section: 80 mm, length: 2.5 m. The channel is assembled on two supports, with a system to control the inclination of the channel. The unit is self-contained and it can be installed with easiness, and it has a complete range of profiles. Inlet tank with stilling of flow and with drain valve, capacity: 38 l. Pipes. Diaphragm flow meter. Sediment filter in tank and inlet section. Manometric tubes panel formed by two methacrylate tubes of 500 mm of length, with a graduated panel. Hand pump. The grain diameter of the sediment oscillates among 0.1 – 0.3 mm. Included elements: FME00/B. Basic Hydraulic Feed System. The FME00/B is a service unit: Centrifugal pump: 0.37 KW, 30 – 80 l/min at 20.1 – 12.8 m, single-phase 200 VAC – 240 VAC/50 Hz or 110 VAC – 127 VAC/60 Hz. Stainless steel impeller. Tank capacity: 140 l approx. Flowmeter. Membrane type flow adjusting valve. Safety switch ON/OFF. Supports for accommodating the test module.</p>	No.	1	
----	----------------------------------	---	---	-----	---	--

			This unit incorporates wheels for its mobility.			
37	Distillation Plant		Should meet educational Requirements (4 liter per hour). All accessories including glass-wares, filters, storage tank etc. Automatic thermostatic control. Dimensions (W x D x H): 590 x 240 x 400mm.	No.	1	
38	Water Bath		Double walled, inner chamber of stainless steel, outer made of stove-enameled mild steel. The top has 75 mm holes with concentric rings. Temperature range up to 100°C, accuracy $\pm 1^\circ\text{C}$ , Heater fitted with automatic cut-out device, thermostat, two indicator lights, and mains switch. Works on 220-240V, 50 Hz.	No.	1	
39	Rapid Chloride Penetration tester		Tests up to eight specimens at the same time <input type="checkbox"/> Programmable test parameters <input type="checkbox"/> Adaptable to ASTM C1760 Bulk Electrical Conductivity Testing <input type="checkbox"/> The included software is compatible with users' computer <input type="checkbox"/> Exportable test results <input type="checkbox"/> Adjustable voltage settings from 5-60V	No.	1	

40	Infiltration Demonstration Apparatus		<p>Bench-top unit. Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. Diagram in the front panel with distribution of the elements similar to the real one. Three transparent graduated cylinders: External diameter: 100 mm. Height: 600 mm. With a permeable perforated plate at the bottom, where a filter to disable the soil introduced to be swept by the water is placed. Tank to collect the water and the smaller soil particles under study: Capacity: 25 l. It has a drain valve. Dimensions: 500 x 400 x 900 mm approx. (19.68 x 15.75 x 35.43 inches approx.). Weight: 30 Kg approx. (66 pounds approx.)</p>	No.	1	
41	Venturi Flume		<p><b>Specification of Flume:</b> In the same way that the Venturi meter in tube is used to measure the flow in closed flows, the Venturi flume is used to measure the flow in open channels. It consists of a base plate and two side pieces, producing a throttling in the section of the channel. It is made of a transparent material that enables to visualize the flow inside. It can be fixed to any part of the bottom of the channel and has flexible lateral reinforcements to assure water-tightness.</p>	No.	1	

42	Brass sieve Set	<b>ASTM E11 Test Sieves</b>		Brass frame, with stainless steel wire mesh, diameter 20 cm.	Nos.	3		
			Standard					U.S. Alternative
		<b>Coarse Series</b>	100.0mm					4in
			90.0mm					3-1/2in
			75.0mm					3in
			63.0mm					2-1/2in
			50.0mm					2in
			37.5mm					1-1/2in
			25.0mm					1in
			19.0mm					3/4in
			12.5mm					1/2in
			9.5mm					3/8in
		4.75mm	No.4					
		<b>Fine Series</b>	2.36mm					No.8
			1.18mm					No.16
			600µm					No.30
			300µm					No.50
150µm	No.100							
75µm	No.200							
<b>Total</b>								
<b>Total Bid Amount including all Provincial and Federal taxes &amp; duties etc.,</b>								

**NOTE:** Bidder is strictly advised to quote bid clearly and explicitly with GST/SRB (Whichever is applicable). Above column No. 1,2,3,4 and 5 are mandatory to fill with accuracy; any column left as blank, bid shall be considered incomplete and shall be rejected.

\_\_\_\_\_  
Signature & Stamp of Bidder

# Integrity Pact

## DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC. PAYABLE BY THE SUPPLIERS/CONTRACTORS/CONSULTANTS.

Contract Number: \_\_\_\_\_

Dated: \_\_\_\_\_

Contract Value: \_\_\_\_\_

Contract Title: \_\_\_\_\_

\_\_\_\_\_ [Name of Supplier/Contractor/Consultant] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh (GoS) or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoS) through any corrupt business practice.

Without limiting the generality of the foregoing, \_\_\_\_\_ [Name of Supplier/Contractor/Consultant] represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit, in whatsoever form, from Procuring Agency (PA), except that which has been expressly declared pursuant hereto.

\_\_\_\_\_ [Name of Supplier/Contractor/Consultant] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

\_\_\_\_\_ [Name of Supplier/Contractor/Consultant] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to PA under any law, contract or other instrument, be voidable at the option of PA.

Notwithstanding any rights and remedies exercised by PA in this regard, \_\_\_\_\_ [Name of Supplier/Contractor/Consultant] agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by \_\_\_\_\_ [Name of Supplier/Contractor/Consultant] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit, in whatsoever form, from PA.

\_\_\_\_\_  
[Procuring Agency]

\_\_\_\_\_  
[Supplier /Contractor/Consultant]




**NOTIFICATION**

With reference to this University Office Order No.DR(Estab)/(1193)Vol-II/6331 dated: 16.06.2016, the Procurement Committee under Rule 7 of the Sindh Public Procurement Rules (as amended) comprising of the following Members has been constituted for Procurement of Laboratory Items for Environment and Hydraulic Laboratory for Civil Engineering Department (TIEST), (vide Case File No. PC/NED/ RGT/Lab Items/8314/2023), as follows:

- |  |                  |
|--|------------------|
| 1. Prof. Dr. Sadaqat Ullah Khan<br>Chairperson, Civil Engineering Department<br>(TIEST)<br>NEDUET, Karachi                 | Convener         |
| 2. Mr. Muhammad Mabroor Khan<br>Administrative Officer<br>Center for Excellence in Marine Biology<br>University of Karachi | Member           |
| 3. Mr. Fawad Ul Hasan Kamran<br>Assistant Director Procurement-II<br>NEDUET, Karachi                                       | Member/Secretary |

The TOR / functions / responsibilities of the aforesaid Procurement Committee will be in accordance with Rule-8 of SPP Rules. The tender will be opened on 26-09-2023 at 10:30 AM in the office of Assistant Director Procurement-II.

  
Director Procurement  
08/09/2023

Email:

- I. [ccd-tiest@neduet.edu.pk](mailto:ccd-tiest@neduet.edu.pk)
- II. [mabroork@hotmail.com](mailto:mabroork@hotmail.com)
- III. [adfp2@neduet.edu.pk](mailto:adfp2@neduet.edu.pk)

# NED UNIVERSITY OF ENGINEERING & TECHNOLOGY

No. DR (Estab)/(1003)/5730

Dated: 27/05/2016

## OFFICE ORDER

In supersession of this office order No. DR (Estab)/(1003)/11418 dated 02-11-2015, the University Administration has constituted the Complaint Redressal Standing Committee comprising of the following officers to address complaints regarding all procurement issues in the University in pursuance of Clause 31(1) of the SPPRA rules:

- |    |   |          |
|----|---|----------|
| 1. | <b>Prof. Dr. Saad Ahmed Qazi</b><br>Dean (ECE)          | Convener |
| 2. | <b>Independent Professional from the relevant field</b> | Member   |
| 3. | <b>Nominee of Accountant General Sindh</b>              | Member   |

  
Ag-REGISTRAR 27/5/2016

To:

**The Convener & all members**

Copy for information to:

- 1 Dean (ECE)
- 2 Director Planning & Projects
- 3 Director Finance
- 4 Director, Procurement Cell
- 5 Ag. Resident Auditor



# DAWN

Wednesday  
September 6, 2023  
Satur 19, 1445  
KARACHI

Rs 30.00  
20 Pages  
Vol. LXXVII No. 244  
Regd. No. SS-022

www.dawn.com

## NED UNIVERSITY OF ENGINEERING & TECHNOLOGY

### PROCUREMENT CELL

University Road, Karachi-75270

Tel: 9928 1261 - 66 (ext. 2421 & 2501) Fax: 9928 1255  
Email: [cp@neduet.edu.pk](mailto:cp@neduet.edu.pk) Website: <http://www.neduet.edu.pk>  
No. SPNED/16075/SE/14/144 Date: SEPTEMBER 05, 2023

SAY NO TO CORRUPTION

### NOTICE INVITING TENDER

NEDUET invites Sealed Bids on Single Stage One Envelope procedure from Firms having Registration with Income Tax, Sales Tax, Sindh Revenue Board and PEC (whichever is applicable) to carry out following:

### PROCUREMENT OF LABORATORY ITEMS for Environment and Hydraulic Laboratory for Civil Engineering Department, TIEST, Tharparkar

Tender No. PC / NED / RGT / Lab Items / 0314 / 2023

Issuance of Documents from	Last Date of Tender Documents	Tenders Submission Deadline	Tenders Opening Date / Time
08.09.2023	25.09.2023	06.09.2023 10:00 am	26.09.2023 10:30 am

Tender Fee : (Rs.) 5,000

#### ELIGIBILITY CRITERIA:

- (i) The Bidder must have at least 3 Years of Experience in the relevant field
- (ii) Details of Turn-Over (including in terms of Rupees) of at least Last Three Years that Average Turnover of last Three Years should not be less than Rs 30 Million.
- (iii) Registration with FBR / SRB (whichever is applicable)

Tender Fee and Bid Security @ 5% of Bid Cost in shape of Pay Order should be in favor of Director Finance. Bidding Documents can be obtained and shall be submitted in the Office of ADP-II as per above schedule. Bidders are requested to give their Best and Final Price as "No Negotiation" is permitted. Bidding Documents containing detailed Terms and Conditions are available at Websites [www.neduet.edu.pk](http://www.neduet.edu.pk) & [www.pcrms.ppraisindh.gov.pk](http://www.pcrms.ppraisindh.gov.pk)

Director Procurement

THE DAILY JANG KARACHI

روزنامہ جنگ

جنگ سرپرستی

پبلشر: میر ظہیر الرحمن

19 ستمبر 2023ء 1445ھ 6 ستمبر 2023ء

87 لکھ 19 ستمبر 2023ء

**NED UNIVERSITY**  
OF ENGINEERING & TECHNOLOGY

PROCUREMENT CELL  
University Road, Karachi-75270

Tel: 9926 1261 - 68 (Ext: 2471 & 2501) Fax: 9926 1250  
Email: cp@neduet.edu.pk Website: http://www.neduet.edu.pk  
No DP/RGT-196258/8314/144 Date: SEPTEMBER 05, 2023

**SAY NO TO CORRUPTION**

**نوٹس برائے طلبی ٹینڈر (NIT)**

NEDUET کو مندرجہ ذیل کام کے لئے ایک ٹینڈر، میٹریل اور سروس فراہم کرنے والے (پہلے لاگو ہو کر) سے رہنما ٹرنڈ سے منسلک ایچ ایک ٹائل کے طریقہ کار کے تحت کراہہ پیشکشیں مطلوب ہیں۔

**PROCUREMENT OF LABORATORY ITEMS**  
for Environment and Hydraulic Laboratory for Civil Engineering Department, TIEST, Tharparkar

Tender No. PC / NED / RGT / Lab Items / 8314 / 2023

ٹینڈر کی تاریخ	ٹینڈر کی تاریخ	دستاویزات ہائیڈرو اور ماحولیاتی	دستاویزات ہائیڈرو اور ماحولیاتی
26.09.2023 10:30 am	26.09.2023 10:00 am	کی آخری تاریخ	کی آخری تاریخ
		25.09.2023	08.09.2023

ٹینڈر ٹیس: 5,000/- روپے

اہمیت کا معیار:

(i) پبلک اور نجی طور پر مختلف شعبہ میں 3 سالہ تجربہ رکھنے والے  
(ii) کم از کم 3 سالوں کے پبلک اور نجی سیکٹر (پبلک اور نجی) میں کام کرنے والے  
3 سالوں کے دوران اوسطاً ماہانہ 30 کروڑ روپے سے کم نہیں ہونا چاہئے۔  
(iii) FBR / SRB کے ساتھ رجسٹرڈ (جہاں لاگو ہوگا)

ٹینڈر ٹیس اور پیشگی کی گئی قیمت کا 5% روپیہ نقد صورت ہے آرڈر Director Finance کے نام پر ہونا چاہئے۔ ٹینڈر کی دستاویزات کے ساتھ پبلک اور نجی کے مطابق فنانس ADP-II سے حاصل کی اور پیش کرنی چاہئے ہیں۔ پبلک اور نجی کے درمیان سے فرق ہے کہ وہ اپنی پیشگی اور حتمی قیمتیں دہی کی گئی اس شرط میں اس بات پر حتمت کی اجازت نہیں ہے

ڈاک دستاویزات وہی مانتے [www.neduet.edu.pk](http://www.neduet.edu.pk) اور [www.pprms.pprasinthi.gov.pk](http://www.pprms.pprasinthi.gov.pk) پر آگے دستیاب ہیں

ڈاک کی تاریخ پوری کر دینا

ABC CERTIFIED

Daily AWAMI AWAZ

روزاني

# عوامي آواز

سال 34 - شمارو 244 | اربع 6 سيپٽمبر 2023 ۽ 19 صفر المظفر 1445 هـ | صفحا 08 - قيمت 40 روپيا

 **NED UNIVERSITY**   
**OF ENGINEERING & TECHNOLOGY**  
 Director Procurement  
**PROCUREMENT CELL**  
 University Road, Karachi-75270  
 Tel: 9926 1261 - 68 (Ext: 2471 & 2501) Fax: 9926 1255  
 Email: dp@neduet.edu.pk Website: http://www.neduet.edu.pk  
 No DP/RGT-166258/8314/144 Date: SEPTEMBER 05, 2023

SAY NO TO CORRUPTION

## ٽينڊر گھرائڻ جو نوٽيس (NIT)

NEDUET ڪي هيٺ ڄاڻايل جي فراهميءَ لاءِ انڪم ٽيڪس، سيلز ٽيڪس ۽ سنڌ روينيو بورڊ (جتي لاڳو ٿيندو هجي) سان رجسٽرڊ فرمن کان سنگل اسٽيج هڪ لفافي جي طريقيڪار تحت مهربند واڪ گھريل آهن.

### PROCUREMENT OF LABORATORY ITEMS for Environment and Hydraulic Laboratory for Civil Engineering Department, Tiest, Tharparkar

Tender No. PC / NED / RGT / Lab Items / 8314 / 2023

ٽينڊر ڪولن جي تاريخ/وقت	ٽينڊر جمع ڪرائڻ جي آخري تاريخ/وقت	دستاويز جاري ڪرڻ جي آخري تاريخ	دستاويز جاري ڪرڻ جو آغاز
26.09.2023 10:30 am	26.09.2023 10:00 am	25.09.2023	08.09.2023

ٽينڊر فيس - 1,000 روپيا

#### اهليت جو معيار:

- (i) آڇ ڏيندڙ لاڳاپيل شعبي ۾ 3 سالن جو تجربو لازمي رکندڙ هجي.
  - (ii) گهٽ ۾ گهٽ گذريل 3 سالن جي مالي ٽرن اوور جا تفصيل (بشمول رپين ۾) ۽ گذريل 3 سالن جي دوران اوسط ٽرن اوور جيڪو 30 ملين رپين کان گهٽ نه هجڻ گهرجي.
  - (iii) FBR/ SRB سان رجسٽريشن (جتي لاڳو ٿيندو هجي).
- ٽينڊر فيس ۽ آڇ ڪيل لاڳت جو 5% سوڻي رقم پي آرڊر جي صورت ۾ Director Finance جي نالي هجڻ گهرجي. ٽينڊر جا دستاويز مٿي ڄاڻايل شيڊول تحت دفتر ADP-II مان حاصل ڪري ۽ جمع ڪرائي سگهجن ٿا. آڇ ڏيندڙن کي درخواست ٿي ڪجي ته اهي پنهنجا بهترين ۽ حتمي اڳهه آڇ ڪن چو ته ان سلسلي ۾ ڪنهن ڳالهه بولڻ جي اجازت نه آهي.

آڇ دستاويز ويب سائيٽ [www.neduet.edu.pk](http://www.neduet.edu.pk) ۽ [www.ppms.pprasinidh.gov.pk](http://www.ppms.pprasinidh.gov.pk) تي پڻ موجود آهن.

ڊائريڪٽر پروڪيورمينٽ